


**IMPACT TOOLS****6.3 MM (1/4") SQUARE DRIVE****K 20****IMPACT SOCKET 1/4" hexagon METRIC**

- Acc. to DIN 3129, ISO 2725-2
- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 6.3, ISO 1174
- GEDORE special steel, gun-metal finish
- * not standardised

6.3**1/4"****mm**

Code	No.	*	mm	L	d ₁	d ₂	t		
6198090	K 20 5,5		5.5	23	9.5	13	3	16	1
6198170	K 20 6		6.0	23	10.0	13	3	16	1
6198250	K 20 7		7.0	23	11.3	13	3	16	1
6198330	K 20 8		8.0	23	12.5	13	4	16	1
6198410	K 20 9		9.0	23	13.8	13	4	17	1
6198680	K 20 10		10.0	23	15.0	13	5	18	1
6198760	K 20 11		11.0	23	16.3	13	5	20	1
6198840	K 20 12		12.0	23	17.0	13	6	23	1
6198920	K 20 13		13.0	23	18.8	13	6	24	1
6199060	K 20 14	*	14.0	25	20.0	13	7	35	1
6199140	K 20 17	*	17.0	26	23.8	13	7	37	1

"AF"

Code	No.	*	mm	L	d ₁	d ₂	t		
6199220	K 20 3/16AF		3/16	23	8.5	13	3	15	1
6199300	K 20 1/4AF		1/4	23	10.3	13	3	17	1
6199490	K 20 5/16AF		5/16	23	12.5	13	3	16	1
6199570	K 20 3/8AF		3/8	23	15.0	13	4	18	1
6199650	K 20 7/16AF		7/16	23	16.3	13	6	21	1

KB 2090**EXTENSION 1/4" for impact sockets**


- With square drive as per DIN 3121 - G 6.3, ISO 1174
- GEDORE special steel, gun-metal finish

6.3**1/4"**

Code	No.	*	mm	L	d ₁	d ₂	t		
6201140	KB 2090-2		1/4	6.3			50	26	1

**Securing with pin and ring**


Deviant packing units see article description.

KB 2070 - KB 2075**SAFETY RING AND SAFETY PIN for impact sockets 1/4"****6.3****1/4"**

Code	No.	Description	Ø	mm	t		
6200920	KB 2070	Safety ring d 9 mm	9.0		5	1	
6201060	KB 2075	Safety pin d 1.5 mm	1.5	10	5	1	

10 MM (3/8") SQUARE DRIVE**K 30****IMPACT SOCKET 3/8" hexagon**

- Acc. to DIN 3129, ISO 2725-2
- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 10, ISO 1174
- GEDORE special steel, gun-metal finish
- * not standardised

10**3/8"**



Code	No.	*	mm	L	d ₁	d ₂	t		
6251160	K 30 6	*	6	30	11.0	19	3.0	45	5
6251240	K 30 7		7	30	12.5	19	3.0	46	5
6251320	K 30 8		8	30	14.5	19	4.0	46	5
6251400	K 30 9		9	30	15.0	19	4.0	46	1
6251590	K 30 10		10	30	16.0	19	5.0	46	10
6251670	K 30 11		11	30	17.5	19	5.0	46	5
6251750	K 30 12		12	30	19.0	19	6.0	46	5
6251830	K 30 13		13	30	19.0	22	6.0	63	10
6251910	K 30 14		14	30	21.0	22	7.0	63	5
6252050	K 30 15		15	30	22.0	22	7.0	62	1
6252130	K 30 16		16	30	24.0	22	8.0	66	1
6252210	K 30 17		17	30	25.0	22	9.0	68	1
6252480	K 30 18		18	30	26.0	22	9.0	75	1
6252560	K 30 19		19	30	27.5	22	9.5	76	1
6252640	K 30 20	*	20	30	28.0	22	10.0	84	1
6252720	K 30 21	*	21	30	30.0	22	11.0	89	1
6252800	K 30 22	*	22	30	32.0	23	11.0	93	1
6252990	K 30 23	*	23	30	32.0	23	13.0	95	1
6254420	K 30 24	*	24	30	35.0	23	13.0	105	1

**8608****273**

TX K 30

IMPACT SOCKET 3/8" for protruding TORX® head screws

- ✓ Suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - G 10, ISO 1174
- ✓ GEDORE special steel, gun-metal finish
- ✓ TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA



Code	No.	□	□	■	■	mm	L	d ₁	d ₂	t	mm	mm
6265030	TX K 30 E5	E5	M4	4.73	32	9.0	19	5	42	1		
6265110	TX K 30 E6	E6	M5	5.74	32	10.0	19	5	44	1		
6265380	TX K 30 E7	E7	M6	6.16	32	10.0	19	7	44	1		
6265460	TX K 30 E8	E8	M6 - M7	7.52	32	10.5	19	8	48	1		
6265540	TX K 30 E10	E10	M8	9.42	32	12.5	19	9	48	1		
6265620	TX K 30 E12	E12	M10	11.17	32	15.0	19	10	47	1		
6265700	TX K 30 E14	E14	M12	12.90	32	19.0	19	12	46	1		

KB 3019

CONVERTOR 3/8" TO 1/2" for impact sockets

- ✓ With square drive as per DIN 3121 - G 10, ISO 1174
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	□	□	■	■	mm	L	t	mm	mm
6263410	KB 3019	3/8	10	1/2	12.5	33	61	1		

KB 3020

REDUCER 3/8" TO 1/4" for impact sockets

- ✓ With square drive as per DIN 3121 - G 10, ISO 1174
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	□	□	■	■	mm	L	t	mm	mm
6263250	KB 3020	3/8	10	1/4	6.3	31	34	1		

KB 3090

EXTENSION 3/8" for impact sockets

- ✓ With square drive as per DIN 3121 - G 10, ISO 1174
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	□	□	■	■	mm	L	t	mm	mm
6261710	KB 3090-3	3/8	10	75	90	1				
6262010	KB 3090-5	3/8	10	125	149	1				
6262280	KB 3090-10	3/8	10	250	298	1				

KB 3095

UNIVERSAL JOINT 3/8" for impact sockets

- ✓ With square drive as per DIN 3121 - G 10, ISO 1174
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	□	□	■	■	mm	L	t	mm	mm
6262440	KB 3095	3/8	10	3/8	10	50	72	1		

KB 3070 - KB 3075

SAFETY RING AND SAFETY PIN for impact sockets 3/8"





Code	No.	Description	Use	Ø	mm	mm	mm
6260820	KB 3070 6-12	Safety ring d 13 mm	for K 30 6-12 mm	14.0	2	1	
6260900	KB 3070 13-24	Safety ring d 16 mm	for K 30 13-24 mm	15.5	2	1	
6261040	KB 3075 6-12	Safety pin d 2.5 mm	for K 30 6-12 mm	2.5	14	5	1
6261120	KB 3075 13-24	Safety pin d 2.5 mm	for K 30 13-24 mm	2.5	16	2	1

12.5 MM (1/2") SQUARE DRIVE

K 19

IMPACT SOCKET 1/2" hexagon METRIC

- ✓ Acc. to DIN 3129, ISO 2725-2
- ✓ Suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - G 12.5, ISO 1174
- ✓ GEDORE special steel, gun-metal finish
- ✓ * not standardised



mm

Code	No.	*	mm	L	d ₁	d ₂	t	mm	mm
6160280	K 19 10		10	38	17.0	25	5.0	82	10
6160360	K 19 11		11	38	19.0	25	5.0	85	5
6160440	K 19 12		12	38	20.0	25	6.0	84	5
6160520	K 19 13		13	38	21.0	25	6.0	81	10
6160600	K 19 14		14	38	22.0	25	7.0	82	5
6161680	K 19 15		15	38	24.0	30	7.0	125	10
6160790	K 19 16		16	38	25.0	30	8.0	124	10
6160870	K 19 17		17	38	26.0	30	9.0	123	10
6160950	K 19 18		18	38	27.5	30	9.0	122	10
6161090	K 19 19		19	38	27.5	30	9.5	119	10
6161170	K 19 21		21	38	30.0	30	11.0	137	10
6161250	K 19 22		22	38	32.0	30	11.0	142	10
6161330	K 19 23	*	23	38	32.0	30	13.0	148	10
6161410	K 19 24		24	45	35.0	30	13.0	154	10
6182680	K 19 27		27	50	38.0	30	13.0	180	10
1560557	K 19 30	*	30	50	41.0	30	16.0	256	1
1783742	K 19 32	*	32	50	44.0	30	17.0	286	1



1/2"

K 19


Code	No.	Ø"AF"	L	d ₁	d ₂	t	⚙️	📦
6166990	K 19 3/8AF	3/8	38	16.0	25	4.0	79	1
6162300	K 19 7/16AF	7/16	38	18.0	25	6.0	79	1
6162650	K 19 1/2AF	1/2	38	20.0	25	6.0	78	1
6163030	K 19 9/16AF	9/16	38	22.0	25	7.0	80	1
6163460	K 19 5/8AF	5/8	38	25.0	25	8.0	121	1
6163700	K 19 11/16AF	11/16	38	25.0	25	9.0	121	1
6163970	K 19 3/4AF	3/4	38	27.5	30	9.5	115	1
6168420	K 19 13/16AF	13/16	38	30.0	30	11.0	131	1
6169820	K 19 7/8AF	7/8	38	32.0	30	13.0	141	1
6164190	K 19 15/16AF	15/16	38	35.0	30	13.0	156	1
6169900	K 19 1AF	1	38	35.0	30	13.0	169	1
6164350	K 19 1.1/16AF	1.1/16	50	38.0	30	13.0	173	1
6164510	K 19 1.1/8AF	1.1/8	40	38.0	30	16.5	180	1
6165240	K 19 1.1/4AF	1.1/4	40	44.0	35	17.0	284	1
6165320	K 19 1.5/16AF	1.5/16	43	45.0	35	19.0	296	1

**K 19 L****IMPACT SOCKET 1/2" hexagon, long pattern**

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, manganese-phosphated

12.5

1/2"



Code	No.	Ømm	L	d ₁	d ₂	t	⚙️	📦
6163110	K 19 L 8	8	77	15.3	25	12	124	5
6163380	K 19 L 10	10	77	17.8	25	12	140	10
6163540	K 19 L 13	13	77	21.5	25	13	158	10
6163620	K 19 L 14	14	77	22.8	25	13	171	5
6197790	K 19 L 16	16	77	24.0	30	14	208	5
6163890	K 19 L 17	17	80	26.5	30	15	230	10
6197870	K 19 L 18	18	82	27.8	30	15	255	5
6164000	K 19 L 19	19	82	29.0	30	17	265	10
6162730	K 19 L 21	21	82	31.5	30	17	306	5
6164270	K 19 L 22	22	82	32.8	30	19	318	10
6199810	K 19 L 23	23	82	34.0	30	19	328	1
6164430	K 19 L 24	24	82	35.3	30	21	358	10
6164780	K 19 L 27	27	82	39.0	30	22	396	5

K 19 LD**IMPACT SOCKET 1/2" hexagon, long pattern, for cars**

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- For racing wheels, with a plastic insert to protect the wheel nuts
- Thin-walled to protect the alloy wheels
- GEDORE special steel, gun-metal finish

12.5

1/2"




Code	No.	Ømm	L	d ₁	d ₂	t	⚙️	📦
6149120	K 19 LD 17	17	78	25	30	9.0	238	1
6149200	K 19 LD 19	19	78	27	30	9.5	274	1

K 19 LS**IMPACT SOCKET 1/2" WITH PROTECTIVE SLEEVE hexagon, long pattern**

- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, manganese-phosphated

12.5

1/2"




Code	No.	Ømm	RAL	Colour	L	d ₁	d ₂	t	⚙️	📦
2178214	K 19 LS 17	17	5017	Traffic blue	81	27.0	30	15	200	1
2178222	K 19 LS 19	19	6024	Traffic green	83	29.0	30	17	210	1
2178230	K 19 LS 21	21	3020	Traffic red	83	30.5	30	17	230	1
2178249	K 19 LS 22	22	1023	Traffic yellow	83	32.3	30	19	260	1

KR 19**IMPACT SOCKET 1/2" hexagon, for cars**

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, gun-metal finish

12.5

1/2"





Code	No.	Ømm	L	d ₁	d ₂	t	⚙️	📦
6162490	KR 19 17	17	45	30.0	30	11	174	1
6162570	KR 19 19	19	45	33.0	30	13	186	1

TX K 19

IMPACT SOCKET 1/2" for protruding TORX® head screws

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, manganese-phosphated
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA





Code	No.	□"	□"	□"	□"	□"	□"	□"	□"	□"
6223110	TX K 19 E10	E10	M8	9.42	38	15.0	25	9	84	1
6223380	TX K 19 E12	E12	M10	11.17	38	16.0	25	10	85	1
6223460	TX K 19 E14	E14	M12	12.90	38	18.5	25	12	86	1
6223540	TX K 19 E16	E16	M12	14.76	38	20.0	25	12	88	1
6223620	TX K 19 E18	E18	M14	16.70	38	22.0	25	12	87	1
6223700	TX K 19 E20	E20	M16	18.45	38	25.0	30	13	140	1
6223890	TX K 19 E24	E24	M18 - M20	22.16	45	28.5	30	17	137	1

IN K 19

IMPACT SCREWDRIVER BIT SOCKET 1/2" for in-hex screws

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, manganese-phosphated





Code	No.	● mm	L ₁	L ₂	d	□"	□"
6223970	IN K 19 5	5	38	5.0	25	73	10
6224000	IN K 19 6	6	38	6.0	25	72	10
6224190	IN K 19 8	8	38	8.0	25	77	10
6224270	IN K 19 10	10	40	10.0	25	79	10
6224350	IN K 19 12	12	42	12.0	30	136	10
6225320	IN K 19 14	14	43	14.0	30	144	10
6225670	IN K 19 17	17	45	17.0	30	157	10

ITX K 19

IMPACT SCREWDRIVER BIT SOCKET

1/2" for recessed TORX® head screws

- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, manganese-phosphated
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA




Code	No.	□"	□"	□"	□"	□"	□"	□"	□"
6197280	ITX K 19 T30	T30	M6 - M7	5.52	57	26	25	75	5
6197360	ITX K 19 T40	T40	M7 - M8	6.65	57	26	25	77	5
1603124	ITX K 19 T45	T45	M8 - M10	7.82	57	26	25	78	5
6197440	ITX K 19 T50	T50	M10	8.83	57	26	25	79	5
6197520	ITX K 19 T55	T55	M12	11.22	57	26	25	84	5
6197600	ITX K 19 T60	T60	M14	13.25	60	26	60	88	5

KB 1930

REDUCER 1/2" TO 3/8" for impact sockets

- With square drive as per DIN 3121 - G 12.5, Form F, G, and H
- GEDORE special steel, manganese-phosphated




Code	No.	□"	□"	□"	□"	□"	□"	□"
6650370	KB 1930	1/2	12.5	3/8	10	38	81	1

KB 1932

CONVERTOR 1/2" TO 3/4" for impact sockets

- With square drive as per DIN 3121 - G 12.5, Form F, G, and H
- GEDORE special steel, manganese-phosphated



Code	No.	□"	□"	□"	□"	□"	□"	□"
6650020	KB 1932	1/2	12.5	3/4	20	48	146	1

KB 1990

EXTENSION 1/2" for impact sockets

- With square drive as per DIN 3121 - G 12.5, Form F, G, and H
- GEDORE special steel, manganese-phosphated



Code	No.	□"	□"	□"	□"	□"	□"
6655250	KB 1990-5	1/2	12.5	125	256	1	
6650100	KB 1990-10	1/2	12.5	250	461	1	

KB 1995

UNIVERSAL JOINT 1/2" for impact sockets

- With square drive as per DIN 3121 - G 12.5, Form F, G, and H
- GEDORE special steel, manganese-phosphated




Code	No.	□"	□"	□"	□"	□"	□"	□"
6655410	KB 1995	1/2	12.5	1/2	12.5	52	202	1



KB 1970 - KB 1975

SAFETY RING AND SAFETY PIN for impact sockets 1/2"

12.5
1/2"



Code	No.	Description	Ø	mm	12.5	1/2"
6654790	KB 1970 10-14	Safety ring d 19 mm	19		2	10
6654870	KB 1970 15-27	Safety ring d 24 mm	24		2	10
6654950	KB 1975 10-14	Safety pin d 3 mm	3	20	2	10
6655090	KB 1975 15-27	Safety pin d 3 mm	3	25	2	10

K 19-028

IMPACT SOCKET SET 1/2" FOR CARS 5 pieces

- 5 sockets, suitable for all standard electric and air tools
- Square drive as per DIN 3121 - G 12.5, ISO 1174
- GEDORE special steel, gun-metal finish
- In black plastic case

12.5
1/2"



Code	No.	Sockets	12.5	1/2"
1646923	K 19-028	Ø 10 13 17 19 24	749	1



3/4"


20 MM (3/4") SQUARE DRIVE

K 32

IMPACT SOCKET 3/4" hexagon METRIC

- Acc. to DIN 3129, ISO 2725-2
- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 20, ISO 1174
- GEDORE special steel, gun-metal finish
- * not standardised

20
3/4"



mm

Code	No.	*	Ø mm	L	d ₁	d ₂	t	12.5	1/2"
6282040	K 32 17		17	45	29	44	9.0	300	1
6289990	K 32 18		18	45	32	44	9.0	300	1
6282120	K 32 19		19	45	32	44	9.5	293	1
6282200	K 32 22		22	46	38	44	11.0	345	1
6282390	K 32 24		24	46	40	44	13.0	339	1
6282470	K 32 27		27	48	41	44	13.0	339	1
6282550	K 32 30		30	52	44	44	16.5	352	1
6282630	K 32 32		32	52	49	44	17.0	407	1
6283010	K 32 33 (3/4W) *		33	55	49	44	17.0	430	1
6281580	K 32 34		34	55	52	44	19.0	475	1
6282710	K 32 36		36	56	52	44	19.0	444	1
6281740	K 32 38	*	38	59	54	44	22.0	481	1
6282980	K 32 41		41	59	57	44	22.0	500	1

"AF


Code	No.	Ø "AF	L	d ₁	d ₂	t	12.5	1/2"
6285300	K 32 13/16AF	13/16	46	35	44	11.0	349	1
6284410	K 32 7/8AF	7/8	46	38	44	13.0	354	1
6284680	K 32 15/16AF	15/16	46	40	44	13.0	342	1
6285490	K 32 1AF	1	46	41	44	13.0	340	1
6285650	K 32 1.1/16AF	1.1/16	48	41	44	13.0	347	1
6284760	K 32 1.1/8AF	1.1/8	52	44	44	16.5	367	1
6284840	K 32 1.1/4AF	1.1/4	52	49	44	17.0	418	1
6284920	K 32 1.5/16AF	1.5/16	55	49	44	19.0	417	1
6285730	K 32 1.3/8AF	1.3/8	55	52	44	19.0	452	1
6285060	K 32 1.7/16AF	1.7/16	56	52	44	19.0	439	1
6285140	K 32 1.1/2AF	1.1/2	59	54	44	22.0	480	1
6285810	K 32 1.5/8AF	1.5/8	59	57	44	22.0	497	1
6286030	K 32 1.11/16AF	1.11/16	64	63	44	25.0	674	1
6286110	K 32 1.3/4AF	1.3/4	64	63	44	25.5	639	1
6286380	K 32 1.7/8AF	1.7/8	67	67	54	27.0	873	1
6286460	K 32 2AF	2	67	73	54	27.0	995	1

K 32 L

IMPACT SOCKET 3/4" hexagon, long pattern

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 20, ISO 1174
- GEDORE special steel, gun-metal finish

20
3/4"





Code	No.	Ø mm	L	d ₁	d ₂	t	12.5	1/2"
6283600	K 32 L 17	17	90	29	44	9.0	727	1
6283790	K 32 L 19	19	90	32	44	9.5	720	1
6286700	K 32 L 21	21	90	35	44	11.0	757	1
6283870	K 32 L 22	22	90	38	44	11.0	739	1
6283950	K 32 L 24	24	90	40	44	13.0	706	1
6284090	K 32 L 27	27	90	41	44	13.0	655	1
6284170	K 32 L 30	30	90	44	44	16.5	644	1
6284250	K 32 L 32	32	90	49	44	17.0	728	1
6286540	K 32 L 33 (3/4W)	33	90	49	44	17.0	709	1
6281660	K 32 L 34	34	90	52	44	19.0	858	1
6284330	K 32 L 36	36	90	52	44	19.0	826	1
6286890	K 32 L 41	41	90	57	44	22.0	811	1



IN K 32

IMPACT SCREWDRIVER BIT SOCKET 3/4" for in-hex screws

- ✓ Suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - H 20, ISO 1174
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	mm	L ₁	L ₂	d		
1956477	IN K 32 14	14	59	14	38	440	1
1956485	IN K 32 17	17	62	17	38	495	1
1956493	IN K 32 19	19	64	19	44	530	1
1956507	IN K 32 22	22	67	22	44	590	1
1956515	IN K 32 24	24	67	24	44	630	1
1956523	IN K 32 27	27	67	27	44	695	1

KB 3219

REDUCER 3/4" TO 1/2" for impact sockets

- ✓ With square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	"	"	"	"	mm		
6675280	KB 3219	3/4	20	1/2	12.5	55	351	1

KB 3221

CONVERTOR 3/4" TO 1" for impact sockets

- ✓ With square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	"	"	"	"	mm		
6671530	KB 3221	3/4	20	1	25	59	445	1



Securing with pin and ring



KB 3290

EXTENSION 3/4" for impact sockets

- ✓ With square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	"	"	mm		
6675600	KB 3290-8	3/4	20	200	957	1
6675790	KB 3290-12	3/4	20	300	1328	1
6675870	KB 3290-16	3/4	20	400	1759	1

KB 3295

UNIVERSAL JOINT 3/4" for impact sockets

- ✓ With square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated



Code	No.	"	"	"	"	mm		
6676090	KB 3295	3/4	20	3/4	20	94	623	1

KB 3270 - KB 3275

SAFETY RING AND SAFETY PIN for impact sockets 3/4"




Code	No.	Description	Ø	mm		
6675360	KB 3270	Safety ring d 36 mm	36	4	4	1
6675440	KB 3275	Safety pin d 4 mm	4	35	4	1

K 32-040

IMPACT SOCKET SET 3/4" FOR TRUCKS 4 pieces

- ✓ 4 sockets, suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - H 20, ISO 1174
- ✓ GEDORE special steel, gun-metal finish
- ✓ In black plastic case



Code	No.	Sockets		
1828142	K 32-040	Ø 24 27 30 33	1630	1



1"

25 MM (1") SQUARE DRIVE


K 21

IMPACT SOCKET 1" hexagon METRIC

- Acc. to DIN 3129, ISO 2725-2
- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 25, ISO 1174
- GEDORE special steel, gun-metal finish
- Use KB 3770 and KB 3775 from 75 mm and up
- * not standardised

25

1"



mm

Code	No.	*	mm	L	d ₁	d ₂	t	±	±
6183060	K 21 22		22	55	40.0	54	11.0	561	1
6183140	K 21 24		24	55	42.0	54	13.0	611	1
6183220	K 21 27		27	55	46.0	54	13.0	614	1
6183300	K 21 30		30	57	50.0	54	16.5	619	1
6183490	K 21 32		32	57	51.0	54	17.0	608	1
6183650	K 21 33	*	33	57	54.0	54	17.0	615	1
6196980	K 21 34		34	60	54.0	54	19.0	624	1
6183570	K 21 36		36	60	54.0	54	19.0	598	1
6184890	K 21 38	*	38	64	60.0	54	19.0	764	1
6183730	K 21 41		41	64	63.0	54	22.0	794	1
6184970	K 21 42	*	42	64	63.0	54	22.0	781	1
6183810	K 21 46		46	69	70.0	54	25.5	974	1
6184030	K 21 50		50	72	73.0	54	27.0	1018	1
6184110	K 21 55		55	76	82.0	54	30.0	1298	1
6184380	K 21 60		60	82	86.0	54	33.0	1481	1
6184460	K 21 65		65	85	92.0	54	35.0	1682	1
6184540	K 21 70		70	88	96.0	54	38.0	1812	1
6184620	K 21 75	*	75	92	100.0	86	41.0	2690	1
6184700	K 21 80	*	80	97	105.0	86	44.0	2936	1

"AF"

Code	No.	"AF"	L	d ₁	d ₂	t	±	±
6186320	K 21 1AF	1	55	43	54	13.0	611	1
6186400	K 21 1.1/4AF	1.1/4	57	51	54	17.0	614	1
6186590	K 21 1.7/16AF	1.7/16	60	54	54	19.0	593	1
6186750	K 21 1.1/2AF	1.1/2	64	60	54	22.0	776	1
6186670	K 21 1.5/8AF	1.5/8	64	63	54	22.0	796	1
6186830	K 21 1.13/16AF	1.13/16	69	70	54	25.5	972	1
6186910	K 21 1.7/8AF	1.7/8	72	70	54	27.0	981	1
6187050	K 21 2.1/4AF	2.1/4	80	82	54	33.0	1365	1



Deviant packing units see article description.


K 21 L

IMPACT SOCKET 1" hexagon, long pattern

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 25, ISO 1174
- GEDORE special steel, gun-metal finish

25

1"



Code	No.	mm	L	d ₁	d ₂	t	±	±
6185350	K 21 L 22	22	100	40	54	11.0	1103	1
6185430	K 21 L 24	24	100	42	54	13.0	1234	1
6185510	K 21 L 27	27	100	46	54	13.0	1227	1
6185780	K 21 L 30	30	100	50	54	16.5	1141	1
6185860	K 21 L 32	32	100	51	54	17.0	1101	1
6197950	K 21 L 33	33	100	54	54	17.0	1104	1
6197010	K 21 L 34	34	100	54	54	19.0	1189	1
6185940	K 21 L 36	36	100	54	54	19.0	1022	1
6186080	K 21 L 38	38	100	60	54	22.0	1262	1
6186160	K 21 L 41	41	100	63	54	22.0	1420	1
6186240	K 21 L 46	46	100	70	54	25.5	1619	1


IN K 21

IMPACT SCREWDRIVER BIT SOCKET 1" for in-hex screws

- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 25, ISO 1174
- GEDORE special steel, manganese-phosphated

25

1"



Code	No.	mm	L ₁	L ₂	d	±	±
1956558	IN K 21 19	19	71	19	54	825	1
1956566	IN K 21 22	22	75	22	54	885	1
1956574	IN K 21 24	24	75	24	54	920	1
1956582	IN K 21 27	27	82	27	54	980	1
1956590	IN K 21 32	32	82	32	54	1125	1
1956604	IN K 21 36	36	82	36	54	1245	1

KB 2132

REDUCER 1" TO 3/4" for impact sockets

- Square drive as per DIN 3121, ISO 1174, Form F and H
- GEDORE special steel, manganese-phosphated
- Use KB 3770 and KB 3775 for 75 and 80 mm

25

1"

20

3/4"



Code	No.	"	"	"	"	mm	±	±
6657460	KB 2132	1	25	3/4	20	77	661	1

KB 2137

CONVERTOR 1" TO 1.1/2" for impact sockets

- Square drive as per DIN 3121, ISO 1174, Form F and H
- GEDORE special steel, manganese-phosphated
- Use KB 3770 and KB 3775 for 75 and 80 mm

25

1"

40

1 1/2"



Code	No.	"	"	"	"	mm	±	±
6657890	KB 2137	1	25	1.1/2	40	85	988	1

KB 2190

EXTENSION 1" for impact sockets

- ✓ Square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated
- ✓ Use KB 3770 and KB 3775 for 75 and 80 mm

25
1"



Code	No.	■ *	■	(mm)	t	⚙
6657970	KB 2190-8	1	25	200	1477	1
6658000	KB 2190-12	1	25	300	2010	1
6658190	KB 2190-16	1	25	400	2587	1

KB 2195

UNIVERSAL JOINT 1" for impact sockets

- ✓ Square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ GEDORE special steel, manganese-phosphated
- ✓ Use KB 3770 and KB 3775 for 75 and 80 mm

25
1"



Code	No.	■ *	■	□ *	□	(mm)	t	⚙
6658350	KB 2195	1	25	1	25	136.5	1425	1

KB 2170 - KB 2175

SAFETY RING AND SAFETY PIN for impact sockets 1"

25
1"



Code	No.	Description	Ø	(mm)	t	⚙
6657620	KB 2170	Safety ring d 45 mm	45		8	10
6657700	KB 2175	Safety pin d 5 mm	5	45	7	10


40 MM (1.1/2") SQUARE DRIVE

K 37

IMPACT SOCKET 1.1/2" hexagon

- ✓ Acc. to DIN 3129, ISO 2725-2
- ✓ Suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - H 40, ISO 1174
- ✓ GEDORE special steel, gun-metal finish
- ✓ Use KB 6470 and KB 6475 from 95 mm and up
- ✓ * not standardised

40
1 1/2"



Code	No.	*	Ø mm	L	d ₁	d ₂	t	⚙
6328130	K 37 46		46	80	75	86	25.5	2265
6328210	K 37 50	*	50	82	80	86	27.0	2306
6328480	K 37 55		55	89	86	86	30.0	2459
6328560	K 37 60		60	92	92	86	33.0	2744
6328640	K 37 65		65	96	100	86	35.0	3215
6328720	K 37 70		70	101	105	86	38.0	3535
6328800	K 37 75		75	105	109	86	41.0	3735
6328990	K 37 80		80	110	115	86	44.0	4185


Code	No.	*	Ø mm	L	d ₁	d ₂	t	⚙
6329020	K 37 85		85	116	121	86	47.0	4795
6329100	K 37 90		90	118	130	86	49.0	5460
6329290	K 37 95	*	95	118	135	127	49.0	9000
6329370	K 37 100	*	100	125	140	127	54.0	8095
6329450	K 37 105	*	105	125	150	127	54.0	9270
6329530	K 37 110	*	110	137	155	127	62.0	10625
6329610	K 37 115	*	115	137	160	127	67.0	10575
6329880	K 37 120	*	120	145	165	127	67.0	11770

K 37 L

IMPACT SOCKET 1.1/2" hexagon, long pattern

- ✓ Suitable for all standard electric and air tools
- ✓ Square drive as per DIN 3121 - H 40, ISO 1174
- ✓ GEDORE special steel, gun-metal finish
- ✓ Use KB 6470 and KB 6475 from 95 mm and up

40
1 1/2"



Code	No.	Ø mm	L	d ₁	d ₂	t	⚙
6330110	K 37 L 41	41	140	70	86	22.0	4400
6330380	K 37 L 46	46	140	75	86	25.5	4330
6330460	K 37 L 50	50	140	80	86	27.0	4365
6330540	K 37 L 55	55	140	86	86	30.0	3950
6330620	K 37 L 60	60	140	92	86	33.0	4135
6330700	K 37 L 65	65	140	100	86	35.0	4620
6330890	K 37 L 70	70	140	105	86	38.0	4805
6330970	K 37 L 75	75	140	109	86	41.0	5395
6331000	K 37 L 80	80	140	115	86	44.0	5660
6331190	K 37 L 85	85	140	121	86	47.0	6154
6331270	K 37 L 90	90	140	130	86	49.0	6595
6331350	K 37 L 95	95	150	135	127	49.0	9960
6331430	K 37 L 100	100	150	140	127	54.0	9964
6331510	K 37 L 105	105	150	150	127	54.0	11314
6331780	K 37 L 110	110	160	155	127	62.0	12800
6331860	K 37 L 115	115	160	160	127	67.0	12225
6331940	K 37 L 120	120	170	165	127	67.0	13845

KB 3721

REDUCER 1.1/2" TO 1" for impact sockets

- ✓ Square drive as per DIN 3121, ISO 1174, Form F and H
- ✓ Use KB 3770 and KB 3775 up to 90 mm
- ✓ Use KB 6470 and KB 6475 from 95 mm and up
- ✓ GEDORE special steel, gun-metal finish

40
1 1/2"
25
1"



Code	No.	□ *	□	■ *	■	(mm)	t	⚙
6676410	KB 3721	1.1/2	40	1	25	95	1992	1



Securing with pin and ring



KB 3764

CONVERTOR 1.1/2" TO 2.1/2" for impact sockets (not illustrated)

- Square drive as per DIN 3121, ISO 1174, Form F and H
- Use KB 3770 and KB 3775 up to 90 mm
- Use KB 6470 and KB 6475 from 95 mm and up
- GEDORE special steel, gun-metal finish



40
1 1/2"
63
2 1/2"


Code	No.	□"	□	■"	■	Ø	(mm)	⚙	📦
1531220	KB 3764	1.1/2	40	63	2	86	93	3600	1

KB 3770 - KB 3775

SAFETY RING AND SAFETY PIN for impact sockets 1.1/2"

- Use KB 3770 and KB 3775 up to 90 mm
- Use KB 6470 and KB 6475 from 95 mm and up

40
1 1/2"



Code	No.	Description	Ø	(mm)	⚙	📦
6676760	KB 3770	Safety ring d 75 mm	75	26	1	
6676840	KB 3775	Safety pin d 6 mm	6	75	17	1


63 MM (2.1/2") SQUARE DRIVE

K 64

IMPACT SOCKET 2.1/2" hexagon

- Acc. to DIN 3129, ISO 2725-2
- Suitable for all standard electric and air tools
- Square drive as per DIN 3121 - H 63, ISO 1174
- GEDORE special steel, gun-metal finish
- * not standardised

63
2 1/2"



Code	No.	*	Ø mm	L	d ₁	d ₂	t	⚙	📦
6371300	K 64 75		75	125	115	127	41	7350	1
6371490	K 64 80		80	125	115	127	44	7015	1
6371570	K 64 85		85	130	127	127	47	7295	1
6371650	K 64 90		90	132	135	127	49	7955	1
6371730	K 64 95		95	132	140	127	49	8120	1
6371810	K 64 100		100	141	145	127	54	8905	1
6372030	K 64 105		105	141	150	127	54	9145	1
6372110	K 64 110		110	150	160	127	62	11000	1
6372380	K 64 115		115	150	165	127	62	11130	1
6372460	K 64 120	*	120	158	170	127	67	12030	1

KB 6437

REDUCER 2.1/2" TO 1.1/2" for impact sockets

- Square drive as per DIN 3121, ISO 1174, Form F and H
- Use KB 3770 and KB 3775 up to 90 mm
- Use KB 6470 and KB 6475 from 95 mm and up
- GEDORE special steel, gun-metal finish




63
2 1/2"
40
1 1/2"

Code	No.	□"	□	■"	■	(mm)	⚙	📦
6699700	KB 6437	2.1/2	63	1.1/2	40	138	7090	1

KB 6470 - KB 6475

SAFETY RING AND SAFETY PIN for impact sockets 2.1/2"

63
2 1/2"



Code	No.	Description	Ø	(mm)	⚙	📦
6699890	KB 6470	Safety ring d 114 mm	114	40	1	
6699970	KB 6475	Safety pin d 8 mm	8	110	43	1


IMPACT DRIVER

K 1900

HAND-OPERATED IMPACT DRIVER 1/2"

- Particularly suitable for loosening tight bolts or screws with the aid of a hammer
- Reversible for right and left hand operation
- Will fit any 1/2" impact socket or bit
- Manganese-phosphated

12.5
1/2"



Code	No.	□"	■	L	Ø-d	⚙	📦
6654440	K 1900	1/2	12.5	123	34	579	1

K 1900-013

HAND-OPERATED IMPACT DRIVER SET 1/2"

- Complete with the most frequently used bits, for use on screws and bolts with slotted, cross-slotted or hexagon heads
- Reversible for right and left hand operation
- In GEDORIT blue sheet steel case with black plastic insert, dimensions: 281 x 79 x 42 mm

12.5
1/2"
8
5/16"
⊖
⊕



Code	No.	Contents	⚙	📦
6654600	K 1900-013	⊖ 880 7 8 9 12 ⊕ 885 5 6 8 10 ⊕ 890 2 3 4 L KB 819 K 1900	1249	1



1500 ES-K 1900



88





BIT RANGE

4 MM HEXAGON SQUARE DRIVE

- For precision work on small components (e.g. clocks, electronics, model making...)
- Mirror-polished for improved corrosion protection
- Vanadium Plus material for safe, reliable application of force to the small effective zones of the miniature screws

480 - 490

MINIBITS

- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

4



499

BIT EXTENSION

- With magnetic holder

4



Code	No.	●	○	Description	mm	mm	mm
1801414	499	4	4	Bit extension 4 mm hex	58	10	1
1801422	499 F	4	4	Bit extension flexible 4 mm hex	114	23	1

471

BIT RATCHET

- Super slim pattern
- 1/4" recess - or 4 mm recess when used in conjunction with no. 420
- GEDORE vanadium special steel, chrome-plated

4

6.3

1/4



Code	No.	○	mm	mm	mm	mm
1801341	471	4	90	9.5	23	1

470

BIT SCREWDRIVER

- 2-component handle
- Fast turning zone and fast turning cap
- With magnetic holder

4



Code	No.	○	mm	mm	mm	mm
1801368	470	4	142	24	1	

420

BIT ADAPTOR

- For bit ratchet no. 471
- With magnetic holder

4

6.3


1/4



Code	No.	○	●	●	mm	mm	mm
1801457	420	4	6.3	1/4	12	2	1



635



225



4

471-044

MINIBIT-SET 44 pieces

- In plastic case
- Dimensions: 160 x 95 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Ratchet	Sockets	Accessories		
1811134	471-044	471	⊖ 480 0,8 1,2 1,5 1,8 2 3 ● 485 0,7 0,9 1,3 1,5 2 2,5 ⊕ 490 PH 000 00 0 ⊕ 490 PZD 000 00 0 ● 487 TX T3 T4 T5 T6 T7 T8 T9 T10 T15 ⊖ 680 4 4,5 5,5 ● 685 3 4 ⊕ 690 1 2 ⊕ 690 PZD 1 2 ● 687 TX T20 T25 T27 T30	420 499 699	302	1

471-042

MINIBIT SET 42 pieces

- For electronics engineers, mechanics, model makers, etc.
- With 1/4" reversible ratchet and 1/4" to 4 mm bit adaptor, for use with 4 mm minibits
- In plastic case
- Dimensions: 160 x 95 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Ratchet	Sockets	Accessories		
1801333	471-042	471	⊖ 480 0,8 1,2 1,5 1,8 2 2,5 3 ● 485 0,7 0,9 1,3 1,5 2 2,5 3 ● 485 B 2 2,5 3 ⊕ 490 PH 000 00 0 ⊕ 490 PZD 000 00 0 ● 487 TX T3 T4 T5 T6 T7 T8 T9 T10 T15 ● 488 TX T7 T8 T9 T10 T15	420 470 499 499 F	275	1



4

471-023

MINIBIT SET 23 pieces

- For electronics engineers, mechanics, model makers, etc.
- With 1/4" reversible ratchet and 1/4" to 4 mm bit adaptor, for use with 4 mm minibits
- In plastic case
- Dimensions: 110 x 65 x 31 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Ratchet	Sockets	Accessories		
1801325	471-023	471	⊖ 480 0,8 1,2 1,5 1,8 ● 485 0,7 0,9 1,3 1,5 ⊕ 490 PH 000 00 0 ⊕ 490 PZD 000 00 0 ● 487 TX T3 T4 T5 T6 T7 T8	420 499	125	1



D 20 FMU-20



161



6.3 MM (1/4") HEXAGON DRIVE

SCREWDRIVER BITS 6.3 MM (1/4")



= Sales unit 10 / 5 pieces each




5

10

680

SCREWDRIVER BIT for slotted head screws

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-1
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 10 / 5 pieces each**




Code	No.	b	t	L		
6537640	680 4	4.0	0.5	25	5	10
6537720	680 4,5	4.5	0.6	25	5	10
6537800	680 5,5	5.5	0.8	25	6	10
6537990	680 6,5	6.5	1.2	25	6	10
6538020	680 7	7.0	1.2	25	6	10
6538100	680 8	8.0	1.6	25	7	10
6538290	680 10	10.0	1.6	39	16	5

685

SCREWDRIVER BIT for in-hex screws

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-3
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 10 / 5 pieces each**




Code	No.	mm	ISO 4762	DIN 7984	L		
1802399	685 2	2.0	M2	M2	25	5	10
6538880	685 2,5	2.5	M3	M4	25	5	10
6538960	685 3	3.0	M4	M5	25	5	10
6539180	685 4	4.0	M5	M6	25	6	10
6539260	685 5	5.0	M6	M8	25	6	10
6539340	685 6	6.0	M8	M10	25	7	10
6539420	685 8	8.0	M10	M12	33	9	10
6539500	685 10	10.0	M12	M14	33	12	5

685 K

SCREWDRIVER BIT for in-hex screws, with ball end

- For hand operation and use in electric and air tools
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 5 pieces each**




Code	No.	mm	ISO 4762	DIN 7984	L		
2225700	685 K 4	4	M5	M6	25	6	5
2225719	685 K 5	5	M6	M8	25	7	5
2225727	685 K 6	6	M8	M10	25	8	5
2225735	685 K 8	8	M10	M12	33	11	5
2225743	685 K 10	10	M12	M14	33	14	5

690

SCREWDRIVER BIT for cross-slotted head screws PH

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PH
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 10 pieces each**




Code	No.	PH	L		
1803514	690 0	0	25	5	10
6541240	690 1	1	25	5	10
1828150	690 1 L	1	50	12	10
6541320	690 2	2	25	6	10
6541400	690 2 L	2	50	12	10
6541590	690 3	3	25	6	10
6541670	690 3 L	3	50	12	10
6541750	690 4	4	32	10	10

690 PZD

SCREWDRIVER BIT for cross-slotted head screws PZ

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PZ
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 10 pieces each**



Code	No.	PZ	L		
6552790	690 PZD 1	1	25	5	10
1827022	690 PZD 1 L	1	50	12	10
6552870	690 PZD 2	2	25	6	10
6552950	690 PZD 2 L	2	50	12	10
6553090	690 PZD 3	3	25	6	10
6553170	690 PZD 3 L	3	50	12	10
6553680	690 PZD 4	4	32	15	10



1500 ES/CT-20 BIT




91



686

SCREWDRIVER BIT for multi-spline screws RIBE®

- For hand operation and use in electric and air tools
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- RIBE® = reg. trademark of Richard Bergner GmbH & Co. KG, Schwabach, Germany
- Sales unit 10 pieces each




Code	No.	ISO 4762	mm	L	mm	mm
6540510	686 4	M4		33	6	10
6540780	686 5	M5		33	7	10
6540860	686 6	M6		33	8	10
6540940	686 8	M8		33	11	10

685 X

SCREWDRIVER BIT for multi-point screws XZN

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 65254
- Hexagon drive as per DIN 3126 - C 6.3 (1/4"), tip as per DIN 2325
- GEDORE special vanadium steel, gun-metal finish
- Sales unit 10 pieces each




Code	No.	ISO 4762	mm	L	mm	mm
6540000	685 X 5	M5		25	6	10
6540190	685 X 6	M6		25	6	10
6540270	685 X 8	M8		25	8	10

687 TX

SCREWDRIVER BIT for recessed TORX® head screws

- For hand operation and use in electric and air tools
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA
- Sales unit 10 pieces each




Code	No.	mm	mm	L	mm	mm
6541830	687 TX T6	T6	M2	1.70	25	5
6541910	687 TX T7	T7	M2,5	1.99	25	5
6542050	687 TX T8	T8	M2,5	2.31	25	5
6542130	687 TX T9	T9	M3	2.50	25	5
6542210	687 TX T10	T10	M3 - M3,5	2.74	25	5
6542480	687 TX T15	T15	M3,5 - M4	3.27	25	5
6542560	687 TX T20	T20	M4 - M5	3.86	25	5
6542640	687 TX T25	T25	M4,5 - M5	4.43	25	6
6542720	687 TX T27	T27	M4,5 - M6	4.99	25	6
6542800	687 TX T30	T30	M6 - M7	5.52	25	6
6542990	687 TX T40	T40	M7 - M8	6.65	25	7

688 TX

SCREWDRIVER BIT for recessed TORX® head screws with pilot

- For hand operation and use in electric and air tools
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special vanadium steel, gun-metal finish
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA
- Sales unit 10 pieces each



Code	No.	mm	mm	mm	L	mm	mm
6535510	688 TX T10	T10	M3 - M3,5	2.74	25	5	10
6535780	688 TX T15	T15	M3,5 - M4	3.27	25	5	10
6535860	688 TX T20	T20	M4 - M5	3.86	25	5	10
6535940	688 TX T25	T25	M4,5 - M5	4.43	25	6	10
6536080	688 TX T27	T27	M4,5 - M6	4.99	25	6	10
6536160	688 TX T30	T30	M6 - M7	5.52	25	6	10
6536240	688 TX T40	T40	M7 - M8	6.65	25	6	10


TIN SCREWDRIVER BITS 6.3 MM (1/4")

- Made from high-quality materials with high-strength, double titanium nitride surface coating
- High degree of wear resistance, preventing damage to screw heads and ensuring long life of the bit
- 5 = Sales unit 5 pieces each

TIN 680

SCREWDRIVER BIT for slotted head screws

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-1
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special steel, titanium-nitrided
- Sales unit 5 pieces each




Code	No.	b	t	L	mm	mm
1828320	TIN 680 4	4.0	0.5	25	5	5
1828339	TIN 680 5,5	5.5	0.8	25	6	5
1828347	TIN 680 6,5	6.5	1.2	25	6	5
1828355	TIN 680 8	8.0	1.6	25	7	5

TIN 685

SCREWDRIVER BIT for in-hex screws

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-3
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special steel, titanium-nitrided
- Sales unit 5 pieces each



Code	No.	mm	ISO 4762	DIN 7984	L	mm	mm
1828363	TIN 685 2	2.0	M2	M2	25	5	5
1828371	TIN 685 2,5	2.5	M3	M4	25	5	5
1828398	TIN 685 3	3.0	M4	M5	25	5	5
1828401	TIN 685 4	4.0	M5	M6	25	6	5
1828428	TIN 685 5	5.0	M6	M8	25	6	5
1828436	TIN 685 6	6.0	M8	M10	25	7	5
1828444	TIN 685 8	8.0	M10	M12	33	9	5
1828452	TIN 685 10	10.0	M12	M14	33	12	5

20 XLU-3 T

160


TIN 690

SCREWDRIVER BIT for cross-head screws PH

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PH
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special steel, titanium-nitrided
- Sales unit 5 pieces each**

6.3

1/4"



Code	No.	PH	L	mm	mm
1828533	TIN 690 1	1	25	5	5
1828541	TIN 690 1 L	1	50	12	5
1828568	TIN 690 2	2	25	6	5
1828576	TIN 690 2 L	2	50	12	5
1828584	TIN 690 3	3	25	6	5
1828592	TIN 690 3 L	3	50	13	5


TIN 690 PZD

SCREWDRIVER BIT for cross-head screws PZ

- For hand operation and use in electric and air tools
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PZ
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special steel, titanium-nitrided
- Sales unit 5 pieces each**

6.3

1/4"



Code	No.	PZ	L	mm	mm
1828606	TIN 690 PZD 1	1	25	5	5
1828614	TIN 690 PZD 1 L	1	50	12	5
1828622	TIN 690 PZD 2	2	25	6	5
1828630	TIN 690 PZD 2 L	2	50	13	5
1828649	TIN 690 PZD 3	3	25	6	5
1828657	TIN 690 PZD 3 L	3	50	13	5


TIN 687 TX

SCREWDRIVER BIT for recessed TORX® head screws

- For hand operation and use in electric and air tools
- Hexagon drive as per DIN 3126 - C 6.3 (1/4")
- GEDORE special steel, titanium-nitrided
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA
- Sales unit 5 pieces each**

6.3

1/4"



Code	No.	T	M	mm	L	mm	mm
1828460	TIN 687 TX T10	T10	M3 - M3,5	2.74	25	5	5
1828479	TIN 687 TX T15	T15	M3,5 - M4	3.27	25	5	5
1828487	TIN 687 TX T20	T20	M4 - M5	3.86	25	6	5
1828495	TIN 687 TX T25	T25	M4,5 - M5	4.43	25	6	5
1828509	TIN 687 TX T27	T27	M4,5 - M6	4.99	25	6	5
1828517	TIN 687 TX T30	T30	M6 - M7	5.52	25	6	5
1828525	TIN 687 TX T40	T40	M7 - M8	6.65	25	7	5

BIT SETS 6.3 MM (1/4")

671-022

BIT SET 22 pieces

- Extra slim bit reversible ratchet with most popular bit sizes
- For working in extremely confined spaces
- In plastic case
- Dimensions: 160 x 95 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

6.3

1/4"



Code	No.	Ratchet	Sockets	Accessories	mm	mm
1814567	671-022	671	680 4 5,5 6,5 8 685 3 4 5 6 690 1 2 690 PZD 1 2 3 687 TX T10 T15 T20 T25 T27 T30	676 699	377	1

620-024

BIT SET 24 pieces

- In plastic case
- Dimensions: 110 x 65 x 31 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

6.3

1/4"



Code	No.	Sockets	Accessories	mm	mm
1815695	620-024	680 4 6,5 685 3 4 5 6 685 X 5 6 8 690 1 2 690 PZD 1 2 3 687 TX T8 T9 T10 T15 T20 T25 T27 T30 T40	620	185	1



693-024

BIT SET 24 pieces

- With No. 2093 U-3 TT-handle ratchet and 2093 HR-94 hand ratchet
- In plastic case
- Dimensions: 160 x 95 x 38 mm
- TORX* = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Ratchet	Sockets	Accessories	1/4"	1/2"
1814524	693-024	2093 U-3 T 2093 HR-94	680 4 6,5 685 3 4 5 6 690 1 2 690 PZD 1 2 3 687 TX T8 T9 T10 T15 T20 T25 T27 T30 T40	2090-6 620	389	1

698-024

BIT SET 24 pieces

- In plastic case
- Dimensions: 110 x 65 x 31 mm
- TORX* = reg. trademark of Acument Intellectual Properties, LLC. USA




Code	No.	Sockets	Accessories	1/4"	1/2"
1815709	698-024	680 4 6,5 685 3 4 5 6 685 X 5 6 8 690 1 2 690 PZD 1 2 3 687 TX T8 T9 T10 T15 T20 T25 T27 T30 T40	698	198	1

ACCESSORIES FOR BITS 6.3 MM (1/4")

KB 619 - KB 630

ADAPTOR PIECES for screwdriver bits

- Acc. to DIN 7427 Form A
- Hex recess drive as per DIN 3126 - D 6.3 (1/4") and square drive Form G as per DIN 3121
- For hand-operated or power tools
- For use in power tools, we recommend the use of a locking ring and pin
- Manganese-phosphated
- * Length not standardised



Code	No.	*	Ø"	Ø	□"	□	L	1/4"	1/2"
6524150	KB 619		1/4	6.3	1/2	12.5	35	72	10
6524230	KB 620		1/4	6.3	1/4	6.3	25	17	10
6530040	KB 630	*	1/4	6.3	3/8	10.0	30	40	5

620 - 630

BIT ADAPTOR 1/4"

- Hex recess drive as per DIN 3126 - D 6.3 (1/4") and square drive as per DIN 3120 - C 6.3 (1/4") / C 10 (3/8")



Code	No.	Ø"	Ø	□"	□	mm	1/4"	1/2"
1649329	620	1/4	6.3	1/4	6.3	25	20	1
1973312	630	1/4	6.3	3/8	10.0	25	25	1



635

PICKUP TOOL FOR BITS

- Practical pickup tool for easy bit changing without damaging the profiles
- Suitable for 4 mm, 6.3 mm (1/4") and 8 mm (5/16") bits
- Protects hands and bit profiles
- No more slipping with oily or damp fingers, even with bits deeply recessed in the bit holder




Code	No.	1/4"	1/2"
2000253	635	10	1

670

BIT SCREWDRIVER 1/4"

- Hex recess drive as per DIN 3126 - D 6.3 (1/4"), for bits
- Magnetic screw retainer
- GEDORE vanadium steel



Code	No.	□"	○	L ₁	L ₂	↺↻	📦
6536590	670	1/4	6.3	210	100	140	10

670 K

BIT SCREWDRIVER 1/4" short pattern

- Hex recess drive as per DIN 3126 - D 6.3 (1/4"), for bits
- Magnetic screw retainer
- GEDORE vanadium steel



Code	No.					
1953796	670 K	1/4	6.3	80	100	1

671

BIT REVERSIBLE RATCHET

- With knurled head for quick starting or counter-holding of screws
- Hex recess drive as per DIN 3126 - D 6.3 (1/4")
- Slim line design for working in confined spaces




Code	No.							
6535350	671	1/4	6.3	15	127	18.3	108	5




Features

Slimline design for working in confined spaces

(1) Bit ratchet and bit



(2+3) Ratchet and socket



672

BIT EXTENSION 1/4"

- Hex recess drive as per DIN 3126 - D 6.3 (1/4")
- Hex drive as per DIN 3126 - C 6.3 (1/4")



Code	No.	"		"			
6040700	672	1/4	6.3	1/4	6.3	100	40

673

ADAPTOR

- Acc. to DIN 7428, ISO 3317
- Hexagon drive as per DIN 3126 - E 6.3 (1/4")
- Square drive as per DIN 3121 for power-driven sockets



Code	No.							
6536320	673 6,3	1/4	6.3	1/4	6.3	50	16	10
1834878	673 10	3/8	10.0	1/4	6.3	50	26	10

673 K

SOCKET HOLDER short pattern

- Hexagon drive as per DIN 3126 - E 6.3 (1/4")
- Square drive as per DIN 3120 - A 6.3 (1/4")



Code	No.	 "		 "				
2000245	673 K	1/4	6.3	1/4	6.3	17		1

673 L

SOCKET HOLDER long

- 1/4" hexagon drive and square drive as per DIN 3120 - A 6.3 (1/4")
- Hand operation
- For use with driving handle no. 676, or torque handle no. 2140



Code	No.	"		"				
1811061	673 L	1/4	6.3	1/4	6.3	130	50	1



**674****BIT SCREWDRIVER with reversible mechanism**

- Hexagon drive as per DIN 3126 - D 6.3 (1/4"), with powerful magnetic screw retainer
- Smooth gear mechanism with knurled head for quick starting or counter-holding of screws
- The blue handle makes it possible to tighten even hard-to-turn wood screws
- The ratchet is reversible and fully lockable



Code	No.	●"	●	○"	○	mm	mm	mm	mm
6530710	674	1/4	6.3			55	215	259	5

676**DRIVING HANDLE**

- Non-slip 2-component handle
- Recessed hexagon drive 1/4"
- Versatile use



Code	No.	●"	●	○"	○	mm	mm	mm	mm
1649337	676	1/4	6.3			42			1

698**BIT HOLDER magnetic**

- Hexagon drive as per DIN 3126 - E 6.3 (1/4"), magnetic, and hex recess drive as per DIN 3126 - D 6.3 (1/4")
- Powerful magnetic screw retainer, "automatic holder"



Code	No.	●"	●	○"	○	mm	mm	mm	mm
1761110	698	1/4	6.3	1/4	6.3	73	36		1

**699****BIT HOLDER for power tools**


- Acc. to DIN 7427 Form D
- Hexagon drive as per DIN 3126 - E 6.3 (1/4") and hex recess drive as per DIN 3126 - D 6.3 (1/4")
- With magnetic holder
- Chrome-plated



Code	No.	●"	●	○"	○	mm	mm	mm	mm
6538610	699	1/4	6.3	1/4	6.3	30	60	23	10

699 L**BIT HOLDER LONG long**

- Hexagon drive as per DIN 3126 - C 6.3 (1/4") and hex recess drive as per DIN 3126 - D 6.3 (1/4")
- With magnetic screw retainer
- Hand operation
- For use with driving handle, No. 676, or torque handle, No. 2140



Code	No.	●"	●	○"	○	mm	mm	mm	mm
1802437	699 L	1/4	6.3	1/4	6.3	32	130	39	1

700**BIT HOLDER magnetic**

- Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")



Code	No.	●"	●	○"	○	mm	mm	mm	mm
6530550	700	1/4	6.3	1/4	6.3	14	51	26	1

169**MAGAZINE HANDLE SCREWDRIVER**

- For highest demands
- With 1/4" recessed hexagon drive
- Magnetic magazine handle with room for 7 bits
- Cap with click-locking
- No. 169 L = empty




Code	No.	Contents	mm	mm	mm	mm
6432700	169	680 4 5,5 6,5 690 1 2 690 PZD 1 2	115	220	206	1
6432620	169 L		115	220	161	1

8 MM (5/16") HEXAGON DRIVE

880

SCREWDRIVER BIT for slotted head screws

- For hand operation and use in electric and air tools with extra heavy loadings,
- Acc. to DIN ISO 2351-1
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish




Code	No.	b	t	L	±	±
6566740	880 5,5	5.5	0.8	41	12	10
6566820	880 6,5	6.5	1.2	41	13	10
6566900	880 7	7.0	1.2	41	14	10
6567040	880 8	8.0	1.6	41	15	10
6567120	880 9	9.0	1.6	41	16	10
6567200	880 10	10.0	1.6	41	19	10
6567390	880 12	12.0	2.0	41	237	10
6567470	880 14	14.0	2.5	41	29	10

885

SCREWDRIVER BIT for in-hex screws

- For hand operation and use in electric and air tools with extra heavy loadings
- Acc. to DIN ISO 2351-3
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish




Code	No.	mm	ISO 4762	DIN 7984	L	±	±
6568010	885 3	3	M4	M5	30	9	10
6568280	885 4	4	M5	M6	30	10	10
6568360	885 5	5	M6	M8	30	11	10
6568440	885 6	6	M8	M10	30	11	10
6568520	885 8	8	M10	M12	30	13	10
6568600	885 10	10	M12	M14	30	171	10

890

SCREWDRIVER BIT for cross-slotted head screws PH

- For hand operation and use in electric and air tools with extra heavy loadings
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PH
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish




Code	No.	PH	L	±	±
6571580	890 1	1	32	10	10
6571660	890 2	2	32	10	10
6571740	890 3	3	32	10	10
6571820	890 4	4	32	12	10
6571900	890 4 L	4	38	15	10

890 PZD

SCREWDRIVER BIT for cross-slotted head screws PZ

- For hand operation and use in electric and air tools with extra heavy loadings
- Acc. to DIN ISO 2351-2, tip as per DIN ISO 8764-1 PZ
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish




Code	No.	PZ	L	±	±
6553250	890 PZD 1	1	32	9	10
6553330	890 PZD 2	2	32	10	10
6553410	890 PZD 3	3	32	11	10
6553760	890 PZD 4	4	32	13	10

886

SCREWDRIVER BIT for multi-spline screws RIBE®

- For hand operation and use in electric and air tools with extra heavy loadings
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish
- RIBE® is reg. trademark of Richard Bergner GmbH & Co. KG, Schwabach, Germany




Code	No.	M	L	±	±
6570340	886 4	M4	38	10	10
6570420	886 5	M5	38	11	10
6570500	886 6	M6	38	12	10
6570690	886 8	M8	38	13	10
6570770	886 10	M10	38	19	10
6570850	886 12	M12	38	24	10
6570930	886 14	M14	38	30	10

885 X

SCREWDRIVER BIT for multi-point screws XZN


- For hand operation and use in electric and air tools with extra heavy loadings
- Hexagon drive as per DIN 3126 - C 8 (5/16"), tip as per DIN 2325
- GEDORE special vanadium steel, gun-metal finish



Code	No.	M	L	±	±
6569170	885 X 5	M5	28	9	10
6569250	885 X 6	M6	28	9	10
6569330	885 X 8	M8	28	11	10
6569410	885 X 10	M10	38	20	10
6569680	885 X 12	M12	38	25	10
6569760	885 X 14	M14	38	30	10



635




225



887 TX

SCREWDRIVER BIT for recessed TORX® head screws

- For hand operation and use in electric and air tools with extra heavy loadings
- Hexagon drive as per DIN 3126 - C 8 (5/16")
- GEDORE special vanadium steel, gun-metal finish
- TORX® is a registered trademark of Acument Intellectual Properties, LLC. USA





Code	No.	*	□ mm	★ mm	L	↺↻	📦
6571070	887 TX T27	T27	M4,5 - M6	4.99	35	11	10
6571150	887 TX T30	T30	M6 - M7	5.52	35	12	10
6571230	887 TX T40	T40	M7 - M8	6.65	35	13	10
6571310	887 TX T45	T45	M8 - M10	7.82	35	14	10
6575140	887 TX T50	T50	M10	8.83	35	15	10

KB 819 - KB 830

ADAPTOR PIECES for screwdriver bits

- Acc. to DIN 7427 Form A
- Hex recess drive as per DIN 3126 - D 8 (5/16") and square drive Form G DIN 3121
- For hand-operated or power tools
- For use in power tools, we recommend the use of a locking ring and pin
- Manganese-phosphated
- * Length not standardised





Code	No.	*	○"	○	□"	□	L	↺↻	📦
6563480	KB 819		5/16	8	1/2	12.5	35	75	5
6563560	KB 820	*	5/16	8	1/4	6.3	25	18	1
6563800	KB 830		5/16	8	3/8	10.0	30	40	1

870

BIT SCREWDRIVER

- Hex recess as per DIN 3126 - D 8 (5/16"), for bits
- Magnetic screw retainer
- GEDORE vanadium steel



Code	No.	○"	○	L ₁	L ₂	↺↻	📦
6565500	870	5/16	8	210	100	131	1



Deviant packing units see article description.

871

BIT REVERSIBLE RATCHET

- With knurled head for quick starting or counter-holding of screws
- Hex recess drive as per DIN 3126 - D 8 (5/16")
- Slim line design for working in confined spaces



Code	No.	○"	○	↺°	↺ mm	↺ mm	↺ mm	↺ mm	📦
6535430	871	5/16	8	15	127	20.2	100	1	



872

BIT EXTENSION 5/16"

- Hex recess drive as per DIN 3126 - D 8 (5/16")
- Hex drive as per DIN 3126 - C 8 (5/16")



Code	No.	●"	●	○"	○	↺ mm	↺ mm
6040890	872	5/16	8	5/16	8	100	50

871-021

BIT SET 24 pieces

- Extra slim bit ratchet with most popular bit sizes
- For working in extremely confined spaces
- Bits easy to see, always at hand, fitted into shaped plastic insert in shock-proof plastic case, dimensions: 200 x 120 x 38 mm
- TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA



Code	No.	Ratchet	Sockets	Accessories	↺ mm	📦
6570180	871-021	871	☉ 880 5,5 6,5 8 10 ● 885 3 4 5 6 8 ☉ 890 2 3 ☉ 890 PZD 2 3 4 ★ 887 TX T27 T30 T40 T45 T50	☉ 872	717	1